



ATOFINA Chemicals, Inc.  
Intermediate Chemicals Group  
2000 Market Street  
Philadelphia, PA 19103  
215.419.7000

---

**142b VAPOR DENSITY AT 15 PSIA**

<b>TEMP</b>	<b>VOLUME FT<sup>3</sup>/LB</b>	<b>DENSITY LB/FT<sup>3</sup></b>
20° F	3.2705	0.3058
30° F	3.3476	0.2987
40° F	3.4243	0.2920
50° F	3.5011	0.2856
60° F	3.5777	0.2795
70° F	3.6540	0.2737
80° F	3.7301	0.2681
90° F	3.8061	0.2627
100° F	3.8818	0.2576
110° F	3.9573	0.2527
120° F	4.0327	0.2480
130° F	4.1079	0.2434